

Experience a safer
and more open world



ASSA ABLOY Opening Solutions

MR ASSA ABLOY
Raso de Travassô - Apartado 3147
3754-901 Águeda - Portugal

Tel + 351 234 630 440
mr@assaabloy.com
www.mr.pt



Eficiência
Energética

DISTRIBUTOR:

Siadow Systems Pvt. Ltd.
Formerly Alutec Systems India Pvt. Ltd.
Indian Corporation, Bldg No. 60, Unit No. 3 & 4,
Mankoli Naka, Bhiwandi, Thane 421 302,
Maharashtra, INDIA • Tel.: +91 98709 87701
E-mail: info@siadow.com • www.siadow.com



DC.071/03

CATALOG · CATALOGO · CATALOGUE

CATÁLOGO '24

Siadow
ALUMINIUM ARCHITECTURAL PRODUCTS



www.mr.pt

MR
ASSA ABLOY

Experience a safer
and more open world



THE PAST & TODAY

MR ASSA ABLOY is the Portuguese leading manufacturer of hardware and accessories for aluminum systems.

Founded in 1975, MR began its activities with about 10 employees in the production of traditional hardware for ironmongery and wooden furniture.

In the late 1980s, MR was a pioneer in Portugal by specializing in the production of hardware and accessories for aluminum windows and doors, having consolidated, over the years, its leading position in the Portuguese market.

In 2021, MR became part of the ASSA ABLOY Group.

With headquarters and industrial facilities in the city of Águeda, in the center of Portugal, MR ASSA ABLOY has more than 160 employees and develops its commercial and sales operations globally in more than 40 countries.

PRODUCTS & INNOVATION

Thanks to the continued high investment in R&D and the constant follow-up of key market trends, MR ASSA ABLOY has a wide range of products to effectively meet customer needs by offering complete hardware solutions.



- Solutions for aluminum and pvc doors and windows;
- Solutions for casement and sliding windows;
- Single-point and multi-point locks for communication and security doors;
- Handles, hinges and accessories in stainless steel and aluminum.



Together we are

E100

CILINDRO
min. 10 un.




	A	B	C
27,5/27,5	22,5	10	22,5
30/30	25	10	25
30/40	25	10	35
30/50	25	10	45
30/60	25	10	55
30/70	25	10	65
35/35	30	10	30


E1000

CILINDRO
min. 10 un.

(CORTA FOGO)




	A	B	C	D
symmetrical	25-60	10	25-60	max.130
asymmetrical	25-80	10	25-80	max.130
1/2 CIL	52	10	25-95	max.110



E5000

CILINDRO ALTA
SEGURANÇA
min. 10 un.




	A	B	C	D
symmetrical	26,5-61,5	10	26,5-61,5	max.133
asymmetrical	26,5-81,5	10	26,5-81,5	max.133
1/2 CIL	5	10	26,5-96,5	max.111,5

NORMA - STANDARD
NORMA - NORME

EN 1303 (CILINDROS)

E500


CILINDRO ALTA
SEGURANÇA
min. 10 un.




	A	B	C
30/30	25	10	25
30/40	25	10	35
30/50	25	10	45
30/60	25	10	55
30/70	25	10	65

E1500

CILINDRO
ANTI-BUMP
min. 10 un.




	A	B	C	D
symmetrical	25-60	10	25-60	max.130
asymmetrical	25-80	10	25-80	max.130
1/2 CIL	5	10	25-95	max.110



BT100

LATÃO



A ASSA ABLOY Opening Solutions Portugal, parte do Grupo ASSA ABLOY, o líder mundial em soluções de acesso. Formado em 1994, o Grupo ASSA ABLOY está presente em mais de 70 países.

Dispomos de um vasto e completo portfólio de soluções, desde fechaduras mecânicas até aos mais recentes e inovadores sistemas de controlo de acessos. A gama de produtos ASSA ABLOY abrange molas hidráulicas, produtos de segurança para portas corta-fogo, sistemas de controlo de acessos eletromecânicos, soluções para arquitetura, dispositivos de saída antipânico e soluções de acesso mãos-livres.

Desde o início que a inovação tem definido a nossa direção e isto permite-nos ajudar milhares de milhões de pessoas a sentirem-se tranquilas, seguras e a experimentarem um mundo mais aberto.

Globalmente somos · Globally we are



51,000

colaboradores · employees



70+

países · countries



190+

marcas · brands



9,500

patentes · patents



2,800

colaboradores* · employees*

*dedicados à investigação & desenvolvimento

*dedicated to research & development



ESCAPE 1



EMBALAGEM · PACKAGING
EMPAQUETADO · EMPAQUETAGE

1 unidade por caixa
1 unit per box
1 unidad por caja
1 unité par boîte

MATERIAIS · MATERIALS
MATERIAIS · MATERIAUX

Alumínio - Zamak - Inox
Aluminium - Zamak - Stainless steel
Aluminio - Zamak - Acero inox
Aluminium - Zamak - Inox

FIXAÇÃO · FIXING
FIJACIÓN · FIXATION

Parafusos incluídos
Screws included
Tornillos incluidos
Vis inclus

ACABAMENTO · FINISHING
ACABADOS · FINITION


Lacado
Powder painting
Lacado
Laqué

NORMA · STANDARD
NORMA · NORME


EN 1125




H301



ESCAPE 1



ESCAPE 4








ESCAPE 1





ESCAPE 4



ESCAPE 3




A	B	C	D	E
25	30	35	85	177 495 8






NORMA · STANDARD
NORMA · NORME
EN 12209

745 - U
745
FECHADURA
TRÍPLA ALTA SEG.
min. 9 un.



NORMA - STANDARD
NORMA - NORME
EN 12209



ESCAPE 10

MODULAR / CROSS BAR




EMBALAGEM - PACKAGING
EMPAQUETADO - EMBALLAGE
1 unidade por caixa
1 unit per box
1 unidad por caja
1 unité par boîte

MATERIAIS - MATERIALS
MATERIALES - MATERIAUX
Alumínio - Zamak - Inox
Alumínium - Zamak - Stainless steel
Aluminio - Zamak - Acero inox
Alumínium - Zamak - Inox



FIXAÇÃO - FIXING
FIJACIÓN - FIXATION
Parafusos incluídos
Screws included
Tornillos incluidos
Vis inclus

ACABAMENTO - FINISHING
ACABADOS - FINITION
Lacado
Powder painting
Lacado
Laqué

NORMA - STANDARD
NORMA - NORME
EN 1125



PEÇAS · PARTS PIEZAS · PIÈCES DE RECHANGE



M100
M100 C/C
5100 (Lac.)
5100 C/C
7000
9590
9590 C/C
9590 P



AFINADA ARO FIJO
FIXED ARM SETTING
AFINACIÓN ARO FIJO
REGLAGE DE BRAS FIXE



M100 5100 7000 9590


OPÇÕES · OPTIONS
OPCIONES · OPTIONS

KIT VERTICAL
KIT HORIZONTAL
COMPASSO ADICIONAL
OB 09701/ 09707 P. FECHO COM AF
OB 1013 SUPLEMENTO P. FECHO
MICRO
COMPASSO MINI 34/45
COMPASSO 38/55
COMPASSO 55/90
COMPASSO 90/120



NORMA - STANDARD
NORMA - NORME

EN 13126


A
25 30 35



	A	B	C	D	E	◎
728.70	21	25	30	-	-	70 178 254 74
728.85	-	25	30	35	40	85 178 254 59 8
728.92	-	25	30	35	40	92 185 261 59



LC AF 728 R



728
FECHADURA PRUMO
min. 20 un.




733
FECHADURA PRUMO (ELÉCTRICA)
min. 20 un.



NORMA - STANDARD
NORMA - NORME
OBSERVAÇÕES - COMENTS
OBSERVACIONES - OBSERVATIONS

EN 12209 728 LC AF 30-35-40
728 R 25-30-35



9575

9576/92 (ESQ.)
9576/92 (DIR.)



9570



9580



9630

9620

9636 ESQ

9635 DIR



9625

9560

9565

MR 480



9561

7,5 15 15 C/C



Ponto
Anti-elevação
nº 4



Ponto
Fecho
nº 2



2010/36

K2034



Batente Séries
de Correr



2959



4320



5040



9100



9110



9101.3D



5060 (Cunha zamak)
5080 (Cunha inox)



4000



5050 (Cunha zamak)
5070 (Cunha inox)



4000 TRIPLO
4000 TRIPLO 3F



5085



5060 TRIPLO
5060 TRIPLO 3F



MR 02



MR 01



4606



9000

606/606.ES

QUAD

5110



5110 C/C
5120 1P C/C

5260



5260 C/C

5200



5200 C/C

5152/92 (ESQ.)
5152/92 (DIR.)



5230



Ponto fecho CE
MR2008

5250



5251
5252



5180 C/C
5185 C/C



5180 (ESQ.)

5215
5216



5215 C/C
5216 C/C
5220 C/C

5231



5160



5150



5160 C/C

5151

QUAD

5115



5115 C/C

5135



5140



5000



5165



Reforço de
Fixação

5280



MR100LA



MONDIAL



M41 U C/C/31
(JALOUSIE)*



M46 1P12

M40 U/31
(JALOUSIE)*



M70 4POS



5120 1P
5120 C 1P
7100 1P
9530 1P
9530 C 1P
M45
M46



M60 $\boxtimes 8$
M60 FR $\boxtimes 8$



M23 F P21.14
M33 F P37.14



M69

M63 $\boxtimes 8$



M64/92 (ESQ.)
M64/92 (DRT.)

